

Index

Page references in **bold** refer to illustrations.

A

ACTH point, **83**
 acupressure, body points, 86
 acupuncture, *see* ear acupuncture
 acupuncturists, contact details, 239
 allergens, 88–89
 allergy, 120
 gastrointestinal, and migraine, 35–36
 points, 118, **119**, 120, **120**
 treatment, and VAS, 202–203
 amalgam, dental, 36, 71–72
 and omega point I, **130**, 130–131, **131**
 procedure, 83–84, 153–154
 anesthetic
 vs. acupuncture, 149
 infiltration of focus, 77–78, **78**, 148–149
see also therapeutic local anesthesia
 antidepressant point, 72
 antihelix, and vertebral column, **217**, 218–220, **218–220**
 anus, 226–227, **229**
 apical periodontitis, chronic, **20**, 21
 apicectomy, and large intestine meridian, 33
 appendix, 17, 226, **228**
 application, practical, 53–230
 arms, *see* upper limb
 articaine ampoule, 141
 auricle
 cardiac reflex, 103
 diagnosis, 43
 and disturbing scars, 42–43
 and inverted embryo, **216**, 216–217
 reflex localizations, 216–230
see also ear
 autonomic nervous system, re-action, 85, 108

B

backflow phenomenon, 108, **109**
 back pain
 active ear points, **210**
 after ankle surgery, 209–210
 and impacted wisdom teeth, **159**, 159–160, **160**

Bahr, F.R., 44
 focus diagnosis, 27
 frequencies, 179, 180, 186
 and histamine point, 116
 test procedure, 46–47
 validity of method, 45–46
 basics, 1–51
 bladder, urinary, 228, **229**
 bladder meridian, **211**
 bleeding
 after needle insertion, 147
 insertion canal, 96
 blood flow, vascular pattern, **109**

C

cable method, assigning foci, 125–130, **126**
 cardiac reflex, auricular, 103
 caries, dental, 18
 case histories, *see* examples from practice
 children
 hay fever treatment, 212–213
 laser treatment, 68–69, 213
 chronicity, symptoms, 7
 color markings, 66
 conception vessel, **132**
 concha, internal organs projection, **217**
 connective tissue, role, 7–8
 constitutional therapy, vs. functional therapy, 205
 contraindications, needle treatment, 90
 conventional diagnosis, 73
 courses, in Germany, 233–235
 cyclophosphamide point, *see* Endoxan point
 cysts, jaw region, 23–24

D

deep tissue layer, 167
 dental amalgam, *see* amalgam
 dental foci, 203
 detection, 45
 hidden, 185–187
 and shoulder pain, 158
 therapy, 187–189
see also focus points; teeth
 dental probe, laser, **191**, 191–192, **192**
 dental regions, correlations with body, 248–251
 dentistry, and VAS, 203
 depolarization, continuous, 26–27
 depression, 72, **73**, 92–93

diagnosis, *see* focus diagnosis
 diazepam analogue point, 72
 diet, 88
 Dosch, P., 28
 dysbiosis, intestinal, 33–34

E

ear, 226, **226**
 acupuncture, *see* ear acupuncture
 dominant, 69
 electrode imprint, **66**
 map, 54, 74
 models, 54, 217
 needle inflammation, 90
 needling, 77, **80**
 palpating, 57
 points, *see* ear points
 reflex localizations, overview, **243**
 stamp, 55, 217
 terraces, 217
see also auricle; auricular ear acupuncture, 79
 vs. anesthetic infiltration, 149
 case histories, 209–215
 contraindications, 207
 frequencies, 180
 indications, 205–207
 laser equipment, 189, **190**
 needles, 93–94
 patient information leaflets, 240–242, 245–246
 points, *see* ear points
 symptomatic therapy, 204
 testing for foci, 41–43
 ear points
 activity, 63
 additional, 82, **82**, **83**
 in back pain, **210**
 finding, 56–57, 60–69, 70–71, 75
 and hay fever treatment, **205**, **212**
 and knee pain, **214**
 massage by patient, 86
 measurement, error sources, 66–67
 mechanical search, 57–59, **58**
 palpable, 58–59
 and scar, 43
 use of pressure probe, 59–60, **60**
see also gold points; silver points
 ear probe, stirrup, **57**, **58**
 ear reflex zones, 43
 focus diagnosis, 54

focus therapy, 77–99
 needling, 144–147
 therapeutic procedure, 80–85
 eczema, and dental root remnants, 21–22
 electric hammer, *see* hammer
 electric point-finders, 42
 electrode
 application, 63, **64, 67**
 imprint on ear, **66**
 needle, **62**
 electromagnet fields, 55
 electrosmog, 38
 embryo, inverted, and auricle, **216, 216–217**
 Endoxan point, 120, **120, 125, 131**
 energetic correlations, dental regions and body, 248–251
 energizer, middle, 35
 energy level, 9
 equipment
 essential, 99, 157
 lasers, 189–193
 second-hand, 193, 238
 supply sources, 237
 ethmoidal sinuses, 16
 examination procedure
 extending, 171–174
 laser, complete, 187
 preliminary, 69–70, 135–141, 171–174, 176
 with 9-volt rod, 176, 177
 examiner, posture, 110, **110**
 examples from practice
 abdominal pain due to foreign body in leg, 160–163
 assigning focus using ampoule method, 133–134
 assigning focus using cable method, 127–129
 chronic pain due to impacted wisdom teeth, 159–160
 devitalized tooth, irritable bladder, 7
 disturbing scar–ear point, 43
 Huneke’s phenomenon, 11–12
 knee pain, 63
 meridianitis, 160–163
 migraine–gallbladder meridian, 29–30
 migraine therapy, 163–165
 scar–migraine, 71
 shoulder pain due to dental focus, 158
 strumectomy scar–stomach meridian, 31–33
 tooth remnant–eczema, 21–22
 worry–migraine, 38
 exodontics, 18
 eye, 225, **225**

F
 false readings, 56
 feedback system, overload, 5
 field of disturbance, 5
 filling materials, teeth, 19
 first rib, 173, **174**
 first strike/second strike theory, 6
 focal disturbances, 5, 70
 test procedures, 41–48
 focal stimulation, expansion, 10
 focus, foci, 2–3, 5–13
 activity, basics, 7–8
 assigning, with cable method, 127–129
 chronically inflamed, 15
 definition, 5–6
 dental, detection, 45
 diagnosis, *see* focus diagnosis
 disturbances, *see* focal disturbances
 failure to eliminate, 89–90
 grading, 44
 indicator points, *see* focus indicator points
 infiltration with local anesthetic, 77–78, **78**
 internal, 47
 mental, 37–38
 potential, 15–38
 primary, 101
 projection to body sides, 117
 scars, 26–36
 search for, 3
 starting point, 8–9
 target organs, 7
 teeth, 18–26
 treatment, in inversion, 173
 focus diagnosis, 46–47
 advanced, 47, 48
 beginners, 46, 48
 and ear acupuncture, 204–205
 and ear reflex zones, 54–76
 improving, 166
 knowledge level 1, summary, 76
 knowledge level 2, summary, 142
 and laser, 178–193, 182–183, **183**
 levels, *see* knowledge level
 methods compared, 47
 teeth, 18
 with VAS control, 101–142
 focus indicator points, 115–125, **116, 117**
 assigning foci, 125–130
 finding with laser, 181–182, **182**
 finding with 9-volt rod, 171
 type 1, 118, **119, 120**
 type 2, 120, **120**

type 3, 121–122
 type 4, 122, **122**
 type 5, 122–123, **123**
 focus points
 finding with 3-volt hammer, **124, 124–125**
 finding with 9-volt rod, 171
 hay fever treatment, **205**
 see also ear points; focus indicator points; points
 focus therapy
 additional points, 154–155
 course of, 92–93, 156
 dental foci, 187–189
 ear reflex zones, 43, 77–99, 80–85
 knowledge level 1, 92
 knowledge level 2, 157
 and laser, 178–193, **184, 184–185**
 laser equipment, 189, **190**
 methods compared, 47
 monitoring, 151–153
 optimizing, 166–177
 with point-finder, 68
 problems, 89–91, 155–156
 and resistance to treatment, 6
 supportive measures, 84–89, 156
 training courses, 233–235
 with VAS control, 144–157
 see also therapeutic local anesthesia
 follicular cysts, 23
 food allergy, 202
 foreign bodies, in teeth, 23
 foreign body granuloma, 27
 frequencies, Bahr and Nogier, 178–180
 functional points, 205
 finding, with 9-volt rod, 171
 and laterality, 174
 functional therapy, vs. constitutional therapy, 205
 fungal growth, 35

G
 gallbladder, 227, **227**
 meridian, **28, 29**
 galvanism, dental, 36–37
 ganglion stellatum point, **174**
 gastrointestinal allergy, 202
 ginseng point, 122–123, **123, 131**
 gnathitis, after tooth extraction, 24
 goggles, laser safety, 193
 gold needles, 82, 94
 gold points, 62, 72
 and focal disturbances, 70
 palpation, 63
 granuloma, foreign body, 27

- grounding, 55–56, **56**, 74, 85, 135, 138–139
- H**
- hammer, 3-volt, **101**, 103, 113–115, **114**, **115**
and locating focus points, **124**, 124–125
- handedness, 69, 84, 87, 91, 135–136
and focus indicator point, 117
see also laterality
- hat-shaped patches, 97, **97**
- hay fever
in children, 212–213
and ear points, **205**, **212**
- head, 223–226, **223–226**
- headache, 202
- heart, 226, **227**
- helix, spinal cord projection, **217**
- hip pain, 200
- hip point, 213
- histamine point, 115–116, 118, **119**, 120, 131
- holistic approach, 2
- hooks, needle tips, 94
- Huneke, F., 11
- Huneke's phenomenon, 11–13, 165
- hyperalgesia, 10
- I**
- immune system, 33
- infiltration of focus, local
anesthetic, 148–149, 200–201, **201**
- infiltration of local anesthetic, 77–78, **78**
- intermediate tissue layer, 167
- internal organs, **217**, 226–230
- intestines
disorders, 202–203
dysbiosis, 33–34
lymphatics, 35
meridian, **32**, 33
wall leakage, 34
inversion, 171–172, 173
- inverted embryo, and auricle, **216**, 216–217
- J**
- jaw region, cysts, 23–24
- jaws, 224, **224**
- jewelry, 123
- K**
- kidney, 228, **228**
- meridian, 26
- knee pain, 63, **199**, 199–200, 213–214
- active ear points, **214**
- knowledge level 1, 46, 48, 54–76
practical approach, 73–76
therapeutic steps, summary, 92
knowledge level 2, 101–142
diagnostic steps, summary, 142
therapy, summary, 157
- L**
- laser, 178–193
- acupuncture, patient information leaflets, 245–246
application, 181–185
characteristics of light, 179–180
and children, treatment, 213
in diagnosis, 182–183, **183**
in therapy, 79, 90, **184**, 184–185
- laterality, 135–136
determining, 174–175, **175**
point, 122–123, **123**, 131
unstable, 209–210
see also handedness
- legs, elevating during treatment, 85
see also lower limb
- Leriche, R., 11, 103
- lips, 224
- liver
focus, 213
meridian, **215**
- local resonance, 130–135
- locomotor system, **217**, 218
- lower limb, **222**, 222–223
- lymphatics, intestinal tract, 35
- M**
- magnet, turning, for needle stimulation, 97–98, **98**
- master omega point, 72, **73**
- master point of oscillation, 137
- maxillary sinuses, 16
- measurement errors, ear points, 66–67
- medical history, 43, 73
- mental fields of disturbance, 84, 155
- mental foci, 37–38
- mercury, toxic, 37
- meridianitis
case history, 160–163
and fresh scars, 30
meridians, 9
bladder, **211**
clock, **10**
course, 11
gallbladder, **28**, **29**
kidney, 26
large intestine, **32**, 33
liver, **215**
scars on, 28
- stomach, **31**, 31–32, **162**
middle energizer, weakness, 35
- migraine
and gallbladder meridian, 29
and gastrointestinal allergy, 35–36
- posttraumatic, 164–165
and scar, 71
therapy, 163–164
and worry, 38
- misoprostol, 131
- monitoring of therapy, 151–153
- moxibustion, 81, 150–151
- muscle training, 88
- muscular trigger points, **196**, 197
- myokinetic chains, 10
- N**
- neck muscles, trigger points, 200
- needle electrode, **62**
- needle probe, Nogier, **167**
- needles
acupuncture, 93–94
choice of metal, 80
contraindications, 90
disposal, 93–94
and ear inflammation, 90
fear of, 91
insertion, 81, 144–145, **146**, **147**
patient information leaflet, 244
permanent, 95–96, **96**, 97–98, **98**, 146–147
removal, 145–146
reusable, 94–95
sharpening, 95
sterilization, 95
needling of ear, 77, **80**
- nerve stimulation, transcutaneous, **86**, 86–87
- neural therapy, 44–45
- patient information leaflet, 246–247
and VAS, 200–202
Nogier, P., 41, 103
frequencies, 178–180
and histamine point, 115
inverted embryo projection, **216**
needle probe, **167**
pressure probe, **60**
reflex, 47, 101
resonance zones, **178**
nose point, 138
- O**
- obstacle to healing, 5
- omega point I, and amalgam, 72, **73**, **83**, **130**, 130–131, **131**

oral cavity, 224, **225**
 orthopedics, and VAS, 196–200
 oscillation, 136, **136**, 137
 detecting cause, 140–141
 elimination, 139–140
 and inversion, 173
 osteitis, residual, 24–25
 otoplasty, 90
 ovary, 229, **229**

P

pain management, 204
see also back pain; hip pain;
 knee pain; shoulder pain
 palpable points, ear, 58–59
 palpation, VAS, 108, 110, **110**,
111, 112–113
 paranasal sinuses, 226, **226**
 patches, for covering needles,
 97, **97**
 patients
 fear of needles, 91
 history, 43, 73
 information leaflets, 240–247
 positioning, 74, 110, **110**
 pelvis, 220, **221**
 periodontal disease, 25–26
 periodontitis, **20**, 21
 permanent needles, patient in-
 formation leaflet, 244
 Pischinger, A, 8
 point-finders, 46, 60, **65**, 68
 electric, 42
 held by patient, 75
 simple detector, 61
 treatment with, 68
 points
 additional, 154–155
 BL 40, 118, **119**
 CV 12, location, **132**
 differentiation, with 9-volt rod,
 168
 first rib, **174**
 ganglion stellatum, **174**
 GB 41, **121**, 122
 GE1, 155, **155**
 GV 4, 154, **154**
 LI 1-1, 123, **123**
 LI 3-1, 118, **119**
 PC 9-1, 120, **120**
 PGE1, 121, **121**, 131
 and symptoms, 75
 TE 1-1, 122, **122**
 TE 3-1, **121**, 122
 TE 5, 155, **155**
 tooth, 188
 Yin Tang, 137, **137**, **138**, **139**,
 139–140, 174
 zero, 58, 59, 154, **154**
see also ear points; focus indi-
 cator points; focus points;
 functional points; gold
 points; silver points

positioning, of patient, 74, 110,
110
 posture, for examiner, 110, **110**
 potential differences, 62, 65
 potential foci, 15–38
 practical application, 53–230
 practical approach, knowledge
 level 1, 73–76
 preliminary examination, 69–
 70, 135–141, 171–174, 176
 pressure probe, Nogier, **60**
 psychological strain, 15
 psychotropic points, needling,
 84
see also depression; mental
 fields
 pulp, inflamed, 18
 pulse diagnosis, 36, 47, **107**
 pulse wave, propagation, 104

Q

Qi, 9

R

radial pulse, 111
 radicular cysts, 23, **24**
 reflex localizations, auricle, **41**,
 41–42, **216–229**, 216–230
 reflex points, pressure-sensiti-
 ve, 42
 residual cysts, 23
 resistance to treatment, 6
 resonance, 130–135
 chain, **9**
 zones, **178**
 rod, 9-volt, 166
 finding points, 171
 and laterality, 175
 point differentiation, 168
 root canal therapy, 20–21

S

scapha, **217**, 220, 221
 scars
 and auricular diagnosis, 42–43
 foci, 26–36
 fresh, and meridianitis, 30
 infiltrating, **78**
 laser diagnosis, 183, **183**
 on meridian, 28
 and migraine, 71
 and navel, 27
 strumectomy, and stomach
 meridian, 31–32
 treatment, 45
 Schmid–Bahr points, 188
 shoulder pain, 198, **199**
 and dental focus, 158
 sieve method, 81, 150
 silver needles, 94
 silver points, 62, 64
 sinuses, 16
 skin diseases, 202

spinal cord projection, helix,
217
 stationary wave, 104, **105**, 106,
 107, **107**
 sterilization, needles, 95
 stimulation, of permanent
 needle, 97–98, **98**
 stirrup ear probe, **57**, **58**
 stomach meridian, **31**, 31–32,
162
 stress, emotional, 15
 substance intolerance, 36–37
 summaries
 diagnosis, 76, 142
 ear acupuncture with focus
 therapy, 79
 equipment, essential, 99, 157
 examination procedures, 177,
 187
 methods compared, 48
 therapy, 92, 157
 superficial tissue layer, 167
 symptoms
 alleviating, 83
 chronicity, 7
 including in therapy, 84
 no improvement, 89
 points, 75

T

target organs, 7
 teeth, 224, **224**
 and Bahr frequency 7, 186
 devitalized, 7, 20
 displaced, 23
 fillings, 19, 83
 as foci, 18–26
 fractures, 21
 galvanism, 36–37
 and gnathitis, 24
 points on body, 188
 regions, correlations with body,
 248–251
 root remnants, 21–22, **22**
 Schmid–Bahr points, 188
 trauma, 19
 wisdom, impacted, 23
see also amalgam; dental
 temporomandibular joint, 17,
 223, **223**
 terraces, ear, 217
 test ampoule, and VAS, 131–
 135
 testis, 229, **229**
 test procedures
 Bahr's method, 46–47
 and ear acupuncture, 41–43
 focal disturbances, 41–48
 therapeutic local anesthesia
 (TLA), 148, 149, 200
 therapy, *see* focus therapy
 thorax, 220

- thumb, and palpation, 110, **110**, **111**
- thymus gland point, **82**, 83, **83**, 86, 155, **155**
- tissue layers, 166–167, 168–171
- tongue, 224, **225**
- tonsils, chronically inflamed, 16–17
- Traditional Chinese Medicine, 9, 26
- training, 231–236
- transcutaneous nerve stimulation (TNS), **86**, 86–87
- device rental, 87–88
- trauma, dental, 19
- treatment, *see* focus therapy
- trigger points
muscular, searching for, **196**, 197
- neck muscles, 200
- U**
- unconscious conflict, 91
- upper limb, 221, **221**
- urinary bladder, 228, **229**
- uterus, 229, **229**
- V**
- Valium analogue point, 72, **73**
- vascular autonomic signal (VAS), 101, 103–115
- in allergy treatment, 202–203
- case histories, 158–165
- in dentistry, 203
- and diagnosis, 47, 48, 101–142
- discovery, 103
- and focus therapy, 144–157
- in neural therapy, 200–202
- in orthopedics, 196–200
- palpation, 108, 110, **110**, **111**, 112–113
- physiology, 104
- and test ampoule, 131–135
- triggering, 108
- vertebral column
and antihelix, **217**, 218–220, **218–220**
- blockages, 197
- Virchow, R.L.K., 2
- vitamin C point, 122, **122**, 131
- vitamin synthesis, 33
- W**
- wave, *see* stationary wave
- wisdom teeth, and back pain, **159**, 159–160, **160**
- worry, and migraine, 38
- wristwatches, 123
- Y**
- Yin Tang point, 137, **137**, **138**, **139**, 139–140, 174
- Z**
- zero point, 58, 59, 154, **154**